Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	26806	symbol\$1 with group\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 10:52
L2	19739	L1 and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 10:52
L3 .	120	L2 and ((symbol\$1 with group\$1) near3 assign\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 10:53
L4	0	L3 and (((symbol\$1 with group\$1) near3 assign\$4) with (phone or telephone))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 10:54
L5	31	L3 and (((symbol\$1 with group\$1) near3 assign\$4) and (phone or telephone))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 11:18
L6	3	"111888".ap. and (symbol or assign or group)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 11:18
S1	1652765	computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/24 14:50
S2	47709	pda\$1 and phone\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/24 14:50

				1	I	Ţ
S3	28589	S2 and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/24 14:50
54	563	S3 and (input with string\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 10:31
S5	340	S4 and entire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/24 14:51
S6	6	S5 and (bit near2 vector\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/24 14:51
S7	47945 ,	pda\$1 and phone\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 10:31
S8	28645	S7 and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 10:32
S9	334	S8 and (input near3 string\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/03/28 10:31
S10	6946	bit near2 vector\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 10:32

				•		
S11	5947	S10 and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 10:33
S12	15	S11 and ((bit near2 vector\$1) with (input with string\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 10:34
S13	127	S11 and ((bit near2 vector\$1) with string\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 15:36
S14	0	h785677.pn. and ((bit adj vector\$1) or non?alphanumeric or symbol\$1 or position\$1 or predetermined or determined or seconds or time\$1 or predex or frequency or statistical or weighting or weight\$1 or represent\$1 or email or e-mail or mobile or phone or number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 12:15
S15 ·	2	"6785677".pn. and ((bit adj vector\$1) or non?alphanumeric or symbol\$1 or position\$1 or predetermined or determined or seconds or time\$1 or predex or frequency or statistical or weighting or weight\$1 or represent\$1 or email or e-mail or mobile or phone or number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 12:16
S16	2	"6778980".pn. and ((bit adj vector\$1) or non?alphanumeric or symbol\$1 or position\$1 or predetermined or determined or seconds or time\$1 or predex or frequency or statistical or weighting or weight\$1 or represent\$1 or email or e-mail or mobile or phone or number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 12:16
S17		"6499033".pn. and ((bit adj vector\$1) or non?alphanumeric or symbol\$1 or position\$1 or predetermined or determined or seconds or time\$1 or predex or frequency or statistical or weighting or weight\$1 or represent\$1 or email or e-mail or mobile or phone or number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 12:18

			· ,		,	,
S18	2	"5774588".pn. and ((bit adj vector\$1) or non?alphanumeric or symbol\$1 or position\$1 or predetermined or determined or seconds or time\$1 or predex or frequency or statistical or weighting or weight\$1 or represent\$1 or email or e-mail or mobile or phone or number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 12:35
S19	24	non?alphanumeric adj symbol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 12:35
S20	21	S19 and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 12:35
S21	14	S20 and (email or mobile or number or address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 12:36
S22	2	S20 and ((email or mobile or number or address) with (non?alphanumeric))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 12:37
S23	54716	(symbol\$1 with (email or address or number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 12:37
S24	43230	S23 and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF.	2006/03/28 12:38
S25	24	S24 and (non?alphanumeric near3 symbol\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 12:49

S26	1009	S24 and ((non?alphanumeric or alphanumeric or nonalphanumeric) near3 symbol\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2006/03/28 12:50
S27	24	S24 and ((non?alphanumeric or nonalphanumeric) near3 symbol\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF ,	2006/03/28 12:59
S28	546	nonalphanumeric or non?alphanumeric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 13:00
S29	442	S28 and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 13:00
S30	229	S29 and symbol\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR-	OFF .	2006/03/28 13:00
S31	37	S30 and ((nonalphanumeric or non?alphanumeric) with (email or address or number\$1) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 11:51
.532	6	"065285".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 13:21
S33	0	"5703581".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2006/03/28 13:21

			•			
S34	2	"5703581".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 13:31
S35	6	"687218".ap.	US-PGPUB; USPAT; USOCR; EPO;-JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 13:47
S36	5	"472405".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 13:47
S37	1	"5774588".pn. and (alphanumeric or non?alphanumeric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 15:31
S38	97634	one adj bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 11:43
S39	82993	S38 and @ad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 11:43
S40	1	(symbol\$1 near3 represent\$1 near3 email)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 11:52
S41	1894	((symbol\$1 near3 represent\$1) near3 (email or address or number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2006/03/29 11:54

	•					
S42	1487	S41 and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 11:53
S43	1893	S41 and ((symbol\$1 near3 represent\$1) near3 (address or number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 11:55
S44	1	S41 and ((symbol\$1 near3 represent\$1) near3 email)	US-PGPUB; USPAT; USOCR; EPO; JPO; DÉRWENT; IBM_TDB	OR	OFF	2006/03/29 11:54
S45	77	S43 and alphanumeric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 11:57
S46	60	S45 and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/03/29 12:05
S47	1156	"L60" and (symbol or represent\$4 or email\$1 or address or number\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 12:05
548	60	S46 and (symbol or represent\$4 or email\$1 or address or number\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 12:51
S49	0	"687218".ap. and perempt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 12:51

S50	6	"687218".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 12:51
S51	3	"687218".ap. and predetermined	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 13:26
S52	1	(abort\$5 or perempt\$5) with (search\$5 near3 (predetermined near3 time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 12:53
S53	1	"687218".ap. and prefix	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/03/29 15:24
S54	. 1	"687218".ap. and (hierarchy or leaf)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 15:25
S55	. 0	"5774588".pn. and (hierarchy or leaf)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF.	2006/03/29 15:31
S56	6946	bit near2 vector\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 15:36
S57	5947	S56 and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 15:36

			,	<sub>1</sub>	r	Ţ
S58	127	S57 and ((bit near2 vector\$1) with string\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR 	OFF	2006/03/29 15:36
S59	36	S58 and (hierarchy or tree\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 16:42
S60		"4935870".pn. and hierarchy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 15:42
S61	0	"4814972".pn. and hierarchy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 15:46
S62	2	"6047283".pn. and (tree or vector or hierarchy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 16:03
S63	2	"4606002".pn. and (tree or vector or hierarchy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 16:03
S64	30	S59 and (logical or boolean)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 16:43
S65		S64 and ((logical or boolean) with (zero\$2 or non?zero\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 16:43